

# **AW TRAILERS**

## **Stock Container**



**The Stock Containers from AW Engineering have a High Specification and the same High Quality Build as All AW Trailers.**

**They feature an Aluminium Framework clad with High Grade Thick Aluminium Plate and incorporate a fully welded Aluminium Tread Plate Floor.**

**AW Engineering (Hereford) Ltd.  
Stoney Street  
Madley  
Hereford  
HR2 9NQ**

**Tel : 01981 251558  
Fax : 01981 251568**

**Web : [www.awtrailers.co.uk](http://www.awtrailers.co.uk)  
Email : [sales@awtrailers.co.uk](mailto:sales@awtrailers.co.uk)**



**Rear Ramp / Tailboard features :-**

- Pressed Aluminium Tread Plate Ramp / Tailboard with Steel Framework
- Fully Enclosed Heavy Duty Ramp Springs
- Folding Ramp Gates fabricated from Aluminium Hollow Section with special Livestock Profile
- Ramp gate members spaced horizontally to give good overall height and minimum clearance underneath



**Standard features include :-**

- Aluminium Framework clad with high grade thick Aluminium Plate so strong and durable but lightweight
- Fully welded Aluminium Tread Plate Floor which is easy to clean
- Rear frame constructed from steel for improved wear resistance on hinges
- Spring Assisted Rear Ramp / Tailboard
- Inspection Door
- Division Gates fitted with Slam Latches
- Easy to bolt down to Trailer
- Maintenance Free LED Internal Lighting
- Internal Bump Rail
- Steel painted with 2 pack paint
- Vents



**Sheep Decks feature :-**

- Aluminium Tread Plate Decks which fold neatly against container sides
- Support Bars manufactured from Aluminium Hollow Section complete with storage on inside of container headboard
- Deck Ramps fitted with Grip Bars
- Steel framework on Deck Ramps
- Hydraulic Deck Ramp available as optional extra complete with Operating Valve mounted on exterior





Internal Division Gates feature :-

- Aluminium Section framework clad with thick Aluminium Plate pressings
- Twin gate Slam Latches to hold gate closed complete with Easy Release mechanism
- Sprung Catch to hold door in open position
- 'Doors within door' on models fitted with Sheep Decks with Spring Loaded Latch for each smaller door



The AW Stock Container is available in 22ft and 26ft long models as standard. It is intended to be used in conjunction with an AW Bale Trailer.

We can make the Stock Container to **any length** required and it can be manufactured to suit any existing trailer. Please do not hesitate to contact us to discuss your requirements.

There is a range of optional extras available for the AW Stock Container, some of which are shown below.



#### LED Work Lights

- 2 LED work lights fitted on exterior framework above tailboard
- Steel guards
- Guarded switch mounted above ramp spring
- Maintenance free




#### LED Road Lights

- 2 sets of LED road lights fitted on exterior framework above tailboard (in addition to lights fitted to trailer)
- Maintenance free

#### LED Beacon

- LED beacon fitted on exterior framework above tailboard
- Maintenance free

#### Under Floor Tank



- Fitted in trailer floor at rear
- Aluminium tread plate complete with draining vents
- External plug to drain

Vent Flaps also available

We also offer two alternative Stock Container models :-

### AW Double Skinned Stock Container



Featuring 'double skinned' aluminium hollow plank section side panels.

Further details available on request.

### AW Small Stock Trailer



Single skin aluminium top permanently fixed on steel chassis complete with running gear.

Further details available on request.

**AW Engineering (Hereford) Ltd.**  
**Stoney Street, Madley, Hereford, HR2 9NQ**

**Tel : 01981 251558**  
**Fax : 01981 251568**

**[www.awtrailers.co.uk](http://www.awtrailers.co.uk)**  
**[sales@awtrailers.co.uk](mailto:sales@awtrailers.co.uk)**

**QUALITY**  
**RELIABILITY**  
**DURABILITY**